

**TREE MITIGATION**

TREE #	Species	Common Name	Height	Spread	DBH	Roots Struc.	Roots Health	Trunk Struc.	Trunk Health	Limb/Branch Structure	Limb/Branch Health	Twigs	Foliage	TOTAL Points	Tree Condition Ranking	Status	Pruning Code	Class	Protected/Specimen/Palm Removed	Replacement Inches Required	Tree Canopy Trust Fund Payment
100	Quercus virginiana	Live Oak			13	3	3	3	4	3	3	3	2	2	66%	Fair	REMOVE	A	Protected	9	\$585.00
101	Quercus virginiana	Live Oak			17	3	3	4	4	3	3	3	3	3	81%	Good	REMOVE	A	Protected	14	\$910.00
102	Quercus virginiana	Live Oak			15	3	3	3	3	3	2	3	4	75%	Good	REMOVE	A	Protected	12	\$780.00	
103	Quercus virginiana	Live Oak			18	3	3	4	4	3	2	3	3	78%	Good	REMOVE	A	Specimen	N/A	\$6,362	
104	Quercus virginiana	Live Oak			17	3	3	3	4	3	3	3	4	81%	Good	REMOVE	A	Protected	14	\$910.00	
105	Sabal palmetto	Sabal Palm				1	2	4	4	2	2	4	4	72%	Good	REMOVE		Palm	1 PALM	\$180.00	
106	Sabal palmetto	Sabal Palm				1	2	4	3	2	2	4	4	69%	Fair	REMOVE		Palm	1 PALM	\$180.00	
107	Sabal palmetto	Sabal Palm				1	2	4	4	2	3	4	4	75%	Good	REMOVE		Palm	1 PALM	\$180.00	
125	Conocarpus erectus var. sericeus	Silver Buttonwood			9	4	4	4	3	4	4	3	4	94%	Excellent	REMAIN	A				
126	Conocarpus erectus var. sericeus	Silver Buttonwood			5	4	4	4	3	4	3	3	4	91%	Excellent	REMAIN	A				
127	Sabal palmetto	Sabal Palm				3	4	2	3	4	3	4	4	84%	Good	REMOVE		Palm	1 PALM	\$180.00	
128	Sabal palmetto	Sabal Palm				3	4	20	3	4	3	4	4	141%	Excellent	REMOVE		Palm	1 PALM	\$180.00	
129	Sabal palmetto	Sabal Palm				3	4	3	3	4	4	4	4	91%	Excellent	REMOVE		Palm	1 PALM	\$180.00	
130	Quercus virginiana	Live Oak		48' x 45'	26	2	3	4	4	3	3	3	4	81%	Good	REMOVE	A	Specimen	N/A	\$13,273.25	
131	Quercus virginiana	Live Oak		40' x 32'	22	2	3	3	3	3	4	3	4	78%	Good	REMOVE	A	Specimen	N/A	\$9,503.25	
132	Quercus virginiana	Live Oak		43' x 42'	22	1	2	4	3	3	3	3	4	72%	Good	REMOVE	A	Specimen	N/A	\$9,503.25	
133	Sabal palmetto	Sabal Palm				3	4	2	3	4	4	4	4	88%	Excellent	REMOVE	A	Palm	1 PALM	\$180.00	
134	Sabal palmetto	Sabal Palm				4	4	4	3	3	3	4	4	91%	Excellent	REMOVE	A	Palm	1 PALM	\$180.00	
135	Sabal palmetto	Sabal Palm				4	4	3	3	3	3	4	4	88%	Excellent	REMOVE	A	Palm	1 PALM	\$180.00	
136	Quercus virginiana	Live Oak	36' OA / 15' CLR	50' x 45'	29	1	1	4	4	4	3	3	4	75%	Good	REMOVE	A	Specimen	N/A	\$16,513.00	
137	Quercus virginiana	Live Oak	34' OA / 16' CLR	44' x 42'	23	2	3	4	4	3	4	3	4	84%	Good	REMOVE	A	Specimen	N/A	\$10,389.25	
138	Sabal palmetto	Sabal Palm				4	4	4	4	4	3	4	4	97%	Excellent	REMOVE	A	Palm	1 PALM	\$180.00	
139	Sabal palmetto	Sabal Palm				4	4	3	2	4	3	4	4	88%	Excellent	REMOVE	A	Palm	1 PALM	\$180.00	
140	Quercus virginiana	Live Oak	42' OA / 14' CLR	68' x 61'	32	2	2	4	4	3	4	2	4	78%	Good	REMOVE	A	Specimen	N/A	\$20,106.25	
141	Quercus virginiana	Live Oak			12	2	2	2	1	1	1	1	1	34%	Poor	REMOVE	A	Protected	4	\$260.00	
142	Sabal palmetto	Sabal Palm				3	4	3	3	4	3	4	4	88%	Excellent	REMOVE	A	Palm	1 PALM	\$180.00	
143	Sabal palmetto	Sabal Palm				3	4	4	3	4	3	4	4	91%	Excellent	REMOVE	A	Palm	1 PALM	\$180.00	
144	Sabal palmetto	Sabal Palm				3	4	2	4	4	3	4	4	88%	Excellent	REMOVE	A	Palm	1 PALM	\$180.00	
145	Quercus virginiana	Live Oak	39' OA / 14' CLR	52' x 49'	25	2	3	3	4	3	3	3	4	78%	Good	REMOVE	A	Specimen	N/A	\$12,271.75	
146	Quercus virginiana	Live Oak	41' OA / 15' CLR	53' x 43'	26	1	2	4	4	3	3	2	4	72%	Good	REMOVE	A	Specimen	N/A	\$13,273.25	
147	Casuarina equisetifolia	Australian Pine												0%	Poor	REMAIN	A				
148	Ficus carica	Common fig												0%	Poor	REMAIN	A	A			
149	Quercus virginiana	Live Oak	18' CLR	34' to Street										0%	Poor	REMAIN	A	A			
150	Quercus virginiana	Live Oak	17' CLR	35' to Street										0%	Poor	REMAIN	A	A			
151	Quercus virginiana	Live Oak	14' CLR	36' to Street										0%	Poor	REMAIN	A	A			
152	Conocarpus erectus	Green Buttonwood	12' CLR		7	3	3	2	2	2	3	3	4	69%	Fair	REMAIN	A	A			
153	Conocarpus erectus	Green Buttonwood	16' CLR		11	2	3	2	3	3	3	3	4	72%	Good	REMAIN	A	A			
154	Conocarpus erectus	Green Buttonwood	14' CLR		15	2	3	2	2	2	3	3	4	66%	Fair	REMAIN	A	A			
155	Conocarpus erectus	Green Buttonwood	17' CLR		8	3	3	3	2	3	2	3	4	72%	Good	REMAIN	A	A			
156	Conocarpus erectus	Green Buttonwood	12' CLR		9	3	4	3	3	2	3	3	4	78%	Good	REMAIN	A	A			
157	Conocarpus erectus	Green Buttonwood	11' CLR		11	3	4	3	3	3	3	3	4	81%	Good	REMAIN	A	A			
158	Conocarpus erectus	Green Buttonwood	11' CLR		8	2	4	1	2	3	4	3	4	72%	Good	REMAIN	A	A			
159	Quercus virginiana	Live Oak	18' CLR		15	2	3	4	4	2	4	4	4	84%	Good	REMAIN	A,E	A			
160	Quercus virginiana	Live Oak	17' CLR		8	2	3	4	4	3	4	3	4	84%	Good	REMAIN	A,E	A			
161	Quercus virginiana	Live Oak	16' CLR		11	2	3	4	4	2	3	3	4	78%	Good	REMAIN	A,E	A			
162	Quercus virginiana	Live Oak	14' CLR		14	2	3	3	4	2	4	3	4	78%	Good	REMAIN	A,E	A			
163	Quercus virginiana	Live Oak	13' CLR	16' to Street	13	2	2	3	3	3	3	3	3	69%	Fair	REMAIN	B,E	A			
164	Quercus virginiana	Live Oak	12' CLR	14' to Street	9	3	3	4	2	4	3	3	4	81%	Good	REMAIN	B,E	A			
165	Quercus virginiana	Live Oak	14' CLR	18' to Street	14	1	2	3	4	3	2	3	3	68%	Fair	REMAIN	B,F	A			
166	Quercus virginiana	Live Oak	14' CLR	18' to Street	12	2	3	3	4	3	2	3	3	72%	Good	REMOVE	A	Protected	9	\$585.00	
167	Quercus virginiana	Live Oak	14' CLR	18' to Street	12	1	3	1	2	2	2	2	2	47%	Poor	REMOVE	A	Protected	6	\$390.00	
168	Quercus virginiana	Live Oak	12' CLR	20' to Street	11	1	3	3	2	2	3	3	4	66%	Fair	REMOVE	A	Protected	8	\$520.00	
169	Quercus virginiana	Live Oak	12' CLR	13' to Street	8	1	2	3	1	3	2	2	3	53%	Poor	REMOVE	A	Protected	5	\$325.00	
170	Quercus virginiana	Live Oak	14' CLR	14' to Street	8	1	3	2	1	3	2	3	3	56%	Fair	REMOVE	A	Protected	5	\$325.00	
171	Quercus virginiana	Live Oak	13' CLR	12' to Street	8	1	3	4	3	3	3	3	3	72%	Good	REMAIN	B,E	A			
172	Quercus virginiana	Live Oak	12' CLR	15' to Street	8	1	3	3	2	3	3	3	3	69%	Fair	REMAIN	B,E	A			
173	Quercus virginiana	Live Oak			5	2	3	4	4	3	3	3	3	78%	Good	REMAIN	D	A			
174	Quercus virginiana	Live Oak	14' CLR	20' to Street	14	1	3	4	4	3	3	4	4	81%	Good	REMAIN	B,F	A			
175	Quercus virginiana	Live Oak	14' CLR	15' to Street	12	1	3	2	3	3	3	3	4	69%	Fair	REMAIN	A,E	A			
176	Quercus virginiana	Live Oak	14' CLR	12' to Street	12	1	2	2	2	2	3	3	3	56%	Fair	REMAIN	A,E	A			
177	Quercus virginiana	Live Oak	18' CLR	13' to Street	13	1	3	3	3	2	3	2	3	63%	Fair	REMAIN	A,F	A			
178	Quercus virginiana	Live Oak	19' CLR	18' to Street	10	1	3	3	1	2	3	3	3	59%	Fair	REMOVE	A	Protected	6	\$390.00	
179	Quercus virginiana	Live Oak	15' CLR	16' to Street	11	1	2	3	3	3	2	3	3	63%	Fair	REMAIN	B,F	A			
180	Quercus virginiana	Live Oak	16' CLR	15' to Street	14	1	3	2	1	3	3	3	3	59%	Fair	REMOVE	A	Protected	9	\$585.00	
181	Quercus virginiana	Live Oak	16' CLR	14' to Street	13	1	3	4	3	2	3	3	3	69%	Fair	REMAIN	B,F	A			
182	Bucida buceras	Black Olive			12	2	2	2	2	2	1	3	3	53%	Poor	REMAIN	C				
183	Quercus virginiana	Live Oak			8	1	2	2	4	1	2	2	3	53%	Poor	REMOVE	A	Protected	5	\$325.00	
184	Bucida buceras	Black Olive			14	2	3	3	2	3	3	3	4	72%	Good	REMAIN	C				
185	Sabal palmetto	Sabal Palm				4	4	3	3	4	4	4	4	91%	Excellent	REMOVE		Palm	1 PALM	\$180.00	
186	Sabal palmetto	Sabal Palm				4	4	2	3	4	4	4	4	91%	Excellent	REMOVE		Palm	1 PALM	\$180.00	
187	Sabal palmetto	Sabal Palm				4	4	2	2	4	3	4	4	84%	Good	REMOVE		Palm	1 PALM	\$180.00	
188	Sabal palmetto	Sabal Palm				4	4	3	1	4	3	4	4	84%	Good	REMOVE		Palm	1 PALM	\$180.00	
189	Sabal palmetto	Sabal Palm				4	4	3	3	2	4	4	4	91%	Excellent	REMOVE		Palm	1 PALM	\$180.00	